



MCWW Tunnel Preventive Maintenance Monthly Evaluation Form

| | |
|----------------------------------------------|--------------------------------------------------|
| Car Wash Location _____ _____ | Date _____ Account # _____ Car Count _____ |
| Phone: _____ Fax: _____ Contact: _____ | |

| | |
|-------------------------------------------------|------------------------------------------------------|
| Service Provider _____ _____ | Time In: _____ Time Out: _____ Downtime: _____ |
| Phone: _____ Fax: _____ Technician: _____ | |

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| MENU LIGHT | OK | DEFECT | NOTES |
|------------------|----|--------|-------|
| OPERATE PROPERLY | | | |
| SIGN CLEANED | | | |

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| CORRELATOR | GOOD | DEFECT | NOTES |
|--------------------------|------|--------|-------|
| OPERATE FREELY | | | |
| CLEAN AND FREE OF DEBRIS | | | |

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| CONVEYOR | GOOD | DEFECT | NOTES |
|---------------------------|--------|--------|------------------|
| CHECK GUIDE RAILS | | | |
| CORRECT CHAIN TENSION | | | PRESSURE: PSI |
| CONVEYOR SPEED | SPEED: | CPH | |
| CHECK EACH DOLLIES | | | |
| CHECK CALL UP SYSTEM | | | |
| GREASE RAMP BEARINGS | | | |
| CHECK DOLLIE COUNT SENSOR | | | |
| CHECK FLOOR TREADLE | | | |
| CHECK PULSE SWITCH | | | |
| CHECK EXIT TRAP DOOR | | | |
| GREASE TRAP DOOR BEARINGS | | | |
| CLEAN AND FREE OF DEBRIS | | | |

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| P.O.S | GOOD | DEFECT | NOTES |
|---------------------------|------|--------|-------|
| OPERATE PROPERLY | | | |
| CHECK VOICE MESSAGES | | | |
| CHECK PACKAGES | | | |
| CLEAN AND FREE OF DAMAGES | | | |

Service Provider representative

Customer Representative



MCWW Tunnel Preventive Maintenance Monthly Evaluation Form

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| BAY ENTRANCE PHOTO-EYES | GOOD | DEFECT | NOTES |
|-------------------------|------|--------|-------|
| OPERATE PROPERLY | | | |
| CLEAN LENS | | | |

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| EMERGENCY STOP BUTTONS | GOOD | DEFECT | NOTES |
|------------------------------------------------------------------------------------------------|------|--------|-------|
| TEST ALL EMERGENCY BUTTON BY PUSHING IN EACH ONE INDIVIDUALLY AND VERIFY FOR STOP CONDITION... | | | |
| ENTRANCE E-STOP BUTTON | | | |
| EXIT E-STOP BUTTON | | | |
| ADDITIONAL-STOP BUTTONS | | | |

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| ENTRANCE OVERHEAD DOOR | GOOD | DEFECT | NOTES |
|-------------------------------------|------|--------|-------|
| CHECK DOOR, ROLLERS, RAILS, SPRINGS | | | |
| CHECK DOOR OPERATE | | | |
| OPEN & CLOSE DOOR MANUALLY | | | |
| TEST DOOR P.E. OPERATION | | | |
| CLEAN AND FREE OF DEBRIS | | | |

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| ENTRANCE WIND DOOR | GOOD | DEFECT | NOTES |
|----------------------------|------|--------|-------|
| CHECK FOR SMOOTH OPERATION | | | |
| CHECK FOR AIR LEAK | | | |
| PANELS CLEAR AND CLEAN? | | | |
| CHECK FOR LUBRICATION | | | |
| CLEAN AND FREE OF DEBRIS | | | |

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| PRESOAK ARCH | GOOD | DEFECT | NOTES |
|---------------------------------|------|--------|-------|
| CHECK ALL NOZZLES SPRAYING | | | |
| CHECK PROPER VEHICLE COVERAGE | | | |
| UNIFOAM CLEAN & FREE OF DAMAGES | | | |

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| CHEMICAL TIRE APPLICATOR | GOOD | DEFECT | NOTES |
|----------------------------|------|--------|-------|
| CHECK ALL NOZZLES SPRAYING | | | |
| CHECK WHEELS COVERAGE | | | |
| CHECK FOR LEAKS | | | |
| CLEAN AND FREE OF DEBRIS | | | |

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| CHEMICAL TIRE APPLICATOR | GOOD | DEFECT | NOTES |
|----------------------------|------|--------|-------|
| CHECK ALL NOZZLES SPRAYING | | | |
| CHECK WHEELS COVERAGE | | | |
| CHECK FOR LEAKS | | | |
| CLEAN AND FREE OF DEBRIS | | | |

Service Provider representative

Customer Representative



MCWW Tunnel Preventive Maintenance Monthly Evaluation Form

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| TRIPLE FOAM STREAMERS | GOOD | DEFECT | NOTES |
|------------------------------|------|--------|-------|
| FOAM COVERS VEHICLE PROPERLY | | | |
| CHECK FOR LEAKS | | | |
| CLEAN AND FREE OF DIRT | | | |

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| CONFIRMATION SIGNS | GOOD | DEFECT | NOTES |
|--------------------|------|--------|-------|
| OPERATE PROPERLY | | | |
| SIGN CLEANED | | | |

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| UNDERCARRIAGE / RUST-INHIBITOR | GOOD | DEFECT | NOTES |
|---------------------------------|------|--------|-------|
| CHECK NOZZLES SPRAYING PROPERLY | | | |
| CHECK PROPER VEHICLE COVERAGE | | | |

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| UNDERCARRIAGE / RUST-INHIBITOR | GOOD | DEFECT | NOTES |
|---------------------------------|------|--------|-------|
| CHECK NOZZLES SPRAYING PROPERLY | | | |
| CHECK PROPER VEHICLE COVERAGE | | | |

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| AXIS H.P. SERIES | GOOD | DEFECT | NOTES |
|---------------------------------|------|--------|-------|
| CHECK NOZZLES SPRAYING PROPERLY | | | |
| CHECK WATER LEAKS | | | |
| CHECK HYDRAULIC HOSES | | | |
| OPEN AND CLEAN HP FILTER | | | |
| WATER IN AIR FILTER BOWL? | | | |
| OPEN AND CLEAN AIR FILTER | | | |
| CHECK WEAR ON BULLETS AND GUIDE | | | |
| CHECK PHOTO EYE FOR OPERATION | | | |
| TEST BEEPER AND STOP ON MANUAL | | | |
| CHECK PROPER VEHICLE COVERAGE | | | |

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| F2B / S2S MITTERS (ALL) | GOOD | DEFECT | NOTES |
|-------------------------------------|------|--------|-------|
| CHECK ALL NOZZLES SPRAY PROPERLY | | | |
| CHECK PROPER VEHICLE COVERAGE | | | |
| CHECK FOR ANY MISSING CLOTH STRIPS | | | |
| PITMAN ARM ADJUSTED AT WHICH POINT? | #1 | #2 | |
| CHECK FOR UNCOMMON NOISE | | | |
| INSPECT DRIVE/SLAVE ARMS BUSHINGS | | | |
| CHECK BEARINGS | | | |
| CHECK FOR LOOSE FASTENER | | | |
| CLEAN AND FREE OF DEBRIS | | | |

Service Provider representative

Customer Representative



MCWW Tunnel Preventive Maintenance Monthly Evaluation Form

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| F2B / S2S MITTERS (ALL) | GOOD | DEFECT | NOTES |
|-------------------------------------|------|--------|-------|
| CHECK ALL NOZZLES SPRAY PROPERLY | | | |
| CHECK PROPER VEHICLE COVERAGE | | | |
| CHECK FOR ANY MISSING CLOTH STRIPS | | | |
| PITMAN ARM ADJUSTED AT WHICH POINT? | #1 | #2 | |
| CHECK FOR UNCOMMON NOISE | | | |
| INSPECT DRIVE/SLAVE ARMS BUSHINGS | | | |
| CHECK BEARINGS | | | |
| CHECK FOR LOOSE FASTENER | | | |
| CLEAN AND FREE OF DEBRIS | | | |

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| SUPER SHINER TIRE GLOSS | GOOD | DEFECT | NOTES |
|---------------------------------|------|--------|-------|
| CHECK FOR SMOOTH OPERATION | | | |
| CHECK FOR ROTATION AND AIR LEAK | | | |
| (8) BEARINGS GREASE | | | |
| CHECK NOZZLES FOR OPERATION | | | |
| CLEAN AND FREE OF DEBRIS | | | |

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| BULLDOG TIRE BRUSH | GOOD | DEFECT | NOTES |
|---------------------------------|------|--------|-------|
| CHECK FOR SMOOTH OPERATION | | | |
| CHECK FOR ROTATION AND AIR LEAK | | | |
| (8) BEARINGS GREASED | | | |
| CHECK NOZZLES AND WATER | | | |

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| ACCELERATOR TOP WHEEL | GOOD | DEFECT | NOTES |
|---------------------------------|------|--------|-------|
| CHECK NOZZLES SPRAYING PROPERLY | | | |
| CHECK PROPER VEHICLE COVERAGE | | | |
| WHEEL BALANCED PROPERLY | | | |
| (6) BEARINGS GREASED | | | |
| CHECK STAR-FOAM | | | |
| CHECK FOAMER COVERAGE | | | |
| CHECK FOR LEAKS | | | |
| TEST OPEN BED DETECTOR | | | |
| CLEAN AND FREE OF DEBRIS | | | |

Service Provider representative

Customer Representative



MCWW Tunnel Preventive Maintenance Monthly Evaluation Form

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| ACCELERATOR TOP WHEEL | GOOD | DEFECT | NOTES |
|---------------------------------|------|--------|-------|
| CHECK NOZZLES SPRAYING PROPERLY | | | |
| CHECK PROPER VEHICLE COVERAGE | | | |
| WHEEL BALANCED PROPERLY | | | |
| (6) BEARINGS GREASED | | | |
| CHECK STAR-FOAM | | | |
| CHECK FOAMER COVERAGE | | | |
| CHECK FOR LEAKS | | | |
| TEST OPEN BED DETECTOR | | | |
| CLEAN AND FREE OF DEBRIS | | | |

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| ROCKERZ SIDE WASHER | GOOD | DEFECT | NOTES |
|----------------------------------|------|--------|-------|
| CHECK NOZZLES SPRAYING PROPERLY | | | |
| CHECK PROPER VEHICLE COVERAGE | | | |
| CHECK WATER/AIR LEAKS | | | |
| CHECK FOR MISSING WASH MATERIAL | | | |
| CHECK SHOCK /SPRING-AIR CYLINDER | | | |
| AIR PRESSURE SETTINGS | D/S: | P/S: | |
| CHECK FOR HYDRAULIC FLUID LEAK | | | |
| (4) BEARINGS GREASED | | | |
| CLEAN AND FREE OF DEBRIS | | | |

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| ROCKERZ SIDE WASHER | GOOD | DEFECT | NOTES |
|----------------------------------|------|--------|-------|
| CHECK NOZZLES SPRAYING PROPERLY | | | |
| CHECK PROPER VEHICLE COVERAGE | | | |
| CHECK WATER/AIR LEAKS | | | |
| CHECK FOR MISSING WASH MATERIAL | | | |
| CHECK SHOCK /SPRING-AIR CYLINDER | | | |
| AIR PRESSURE SETTINGS | D/S: | P/S: | |
| CHECK FOR HYDRAULIC FLUID LEAK | | | |
| (4) BEARINGS GREASED | | | |
| CLEAN AND FREE OF DEBRIS | | | |

Service Provider representative

Customer Representative



MCWW Tunnel Preventive Maintenance Monthly Evaluation Form

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| CROSSOVER WRAP AROUND | GOOD | DEFECT | NOTES |
|-----------------------------------|------|--------|-------|
| CHECK NOZZLES SPRAYING PROPERLY | | | |
| CHECK PROPER VEHICLE COVERAGE | | | |
| CHECK ADEQUATE AMOUNT OF SOAP | | | |
| CHECK FOR MISSING WASH MATERIAL | | | |
| CHECK PROPER LIMIT SWITCHES OPER | | | |
| RETRACT SYSTEM WORKING PROPERLY | | | |
| CHECK COUNTERBALANCE PROPER OPER | | | |
| CHECK FOR HYDRAULIC FLUID LEAK | | | |
| CHECK FOR WATER/AIR LEAKS | | | |
| CHECK FOAMERS COVERAGE | | | |
| (12) BEARINGS GREASED | | | |
| CHECK FOR BEND SHAFTS | | | |
| CLEAN AND FREE OF DEBRIS | | | |
| PRIMARY ARMS AIR PRESSURE SETTING | D/S: | P/S: | |
| SECOND ARMS AIR PRESSURE SETTING | D/S: | P/S: | |
| COUNTER BAL AIR PRESSURE SETTING | D/S: | P/S: | |

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| CROSSOVER WRAP AROUND | GOOD | DEFECT | NOTES |
|-----------------------------------|------|--------|-------|
| CHECK NOZZLES SPRAYING PROPERLY | | | |
| CHECK PROPER VEHICLE COVERAGE | | | |
| CHECK ADEQUATE AMOUNT OF SOAP | | | |
| CHECK FOR MISSING WASH MATERIAL | | | |
| CHECK PROPER LIMIT SWITCHES OPER | | | |
| RETRACT SYSTEM WORKING PROPERLY | | | |
| CHECK COUNTERBALANCE PROPER OPER | | | |
| CHECK FOR HYDRAULIC FLUID LEAK | | | |
| CHECK FOR WATER/AIR LEAKS | | | |
| CHECK FOAMERS COVERAGE | | | |
| (12) BEARINGS GREASED | | | |
| CHECK FOR BEND SHAFTS | | | |
| CLEAN AND FREE OF DEBRIS | | | |
| PRIMARY ARMS AIR PRESSURE SETTING | D/S: | P/S: | |
| SECOND ARMS AIR PRESSURE SETTING | D/S: | P/S: | |
| COUNTER BAL AIR PRESSURE SETTING | D/S: | P/S: | |

Service Provider representative

Customer Representative



MCWW Tunnel Preventive Maintenance Monthly Evaluation Form

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| LOW RIDER / HIGH BOY WASHER | GOOD | DEFECT | NOTES |
|----------------------------------|------|--------|-------|
| CHECK NOZZLES SPRAYING PROPERLY | | | |
| CHECK PROPER VEHICLE COVERAGE | | | |
| CHECK WATER/AIR LEAKS | | | |
| CHECK FOR MISSING WASH MATERIAL | | | |
| CHECK SHOCK /SPRING-AIR CYLINDER | | | |
| AIR PRESSURE SETTINGS | D/S: | P/S: | |
| CHECK FOR HYDRAULIC FLUID LEAK | | | |
| (4) BEARINGS GREASED | | | |
| CLEAN AND FREE OF DEBRIS | | | |

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| LOW RIDER / HIGH BOY WASHER | GOOD | DEFECT | NOTES |
|----------------------------------|------|--------|-------|
| CHECK NOZZLES SPRAYING PROPERLY | | | |
| CHECK PROPER VEHICLE COVERAGE | | | |
| CHECK WATER/AIR LEAKS | | | |
| CHECK FOR MISSING WASH MATERIAL | | | |
| CHECK SHOCK /SPRING-AIR CYLINDER | | | |
| AIR PRESSURE SETTINGS | D/S: | P/S: | |
| CHECK FOR HYDRAULIC FLUID LEAK | | | |
| (4) BEARINGS GREASED | | | |
| CLEAN AND FREE OF DEBRIS | | | |

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| SPECTRUM / COLOR SKIN ARCHES | GOOD | DEFECT | NOTES |
|-------------------------------|------|--------|-------|
| CHECK ALL NOZZLES SPRAYING | | | |
| CHECK PROPER VEHICLE COVERAGE | | | |
| CLEAN & FREE OF DAMMAGES | | | |

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| SPECTRUM / COLOR SKIN ARCHES | GOOD | DEFECT | NOTES |
|-------------------------------|------|--------|-------|
| CHECK ALL NOZZLES SPRAYING | | | |
| CHECK PROPER VEHICLE COVERAGE | | | |
| CLEAN & FREE OF DAMMAGES | | | |

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| SPECTRUM / COLOR SKIN ARCHES | GOOD | DEFECT | NOTES |
|-------------------------------|------|--------|-------|
| CHECK ALL NOZZLES SPRAYING | | | |
| CHECK PROPER VEHICLE COVERAGE | | | |
| CLEAN & FREE OF DAMMAGES | | | |

Service Provider representative

Customer Representative



MCWW Tunnel Preventive Maintenance Monthly Evaluation Form

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| SPECTRUM / COLOR SKIN ARCHES | GOOD | DEFECT | NOTES |
|-------------------------------|------|--------|-------|
| CHECK ALL NOZZLES SPRAYING | | | |
| CHECK PROPER VEHICLE COVERAGE | | | |
| CLEAN & FREE OF DAMMAGES | | | |

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| SPECTRUM / COLOR SKIN ARCHES | GOOD | DEFECT | NOTES |
|-------------------------------|------|--------|-------|
| CHECK ALL NOZZLES SPRAYING | | | |
| CHECK PROPER VEHICLE COVERAGE | | | |
| CLEAN & FREE OF DAMMAGES | | | |

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| L.E.D. SIGNS | GOOD | DEFECT | NOTES |
|------------------|------|--------|-------|
| OPERATE PROPERLY | | | |
| SIGN CLEANED | | | |

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| L.E.D. SIGNS | GOOD | DEFECT | NOTES |
|------------------|------|--------|-------|
| OPERATE PROPERLY | | | |
| SIGN CLEANED | | | |

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| L.E.D. SIGNS | GOOD | DEFECT | NOTES |
|------------------|------|--------|-------|
| OPERATE PROPERLY | | | |
| SIGN CLEANED | | | |

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| L.E.D. SIGNS | GOOD | DEFECT | NOTES |
|------------------|------|--------|-------|
| OPERATE PROPERLY | | | |
| SIGN CLEANED | | | |

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| AIR ONE/ PROFILER DRYER | GOOD | DEFECT | NOTES |
|---------------------------------|------|--------|-------|
| CHECK FOR ALL BLOWERS OPERATING | | | |
| LISTEN FOR UNUSUAL NOISE | | | |
| CHECK PROPER VEHICLE COVERAGE | | | |
| RECORD MOTOR #1 AMPS | | AMPS | |
| RECORD MOTOR #2 AMPS | | AMPS | |
| RECORD MOTOR #3 AMPS | | AMPS | |
| RECORD MOTOR #4 AMPS | | AMPS | |
| RECORD MOTOR #5 AMPS | | AMPS | |
| RECORD MOTOR #6 AMPS | | AMPS | |
| RECORD MOTOR #7 AMPS | | AMPS | |
| RECORD MORE MOTOR ? | | AMPS | |
| CLEAN DRYERS INLETS | | | |

Service Provider representative

Customer Representative



MCWW Tunnel Preventive Maintenance Monthly Evaluation Form

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| EXIT WIND DOOR AND PHOTO-EYES | GOOD | DEFECT | NOTES |
|-------------------------------|------|--------|-------|
| CHECK FOR SMOOTH OPERATION | | | |
| CHECK FOR AIR LEAK | | | |
| CHECK BEARINGS AND HINGES | | | |
| CHECK CYLINDERS AND SHOCKS | | | |
| CLEAN AND FREE OF DEBRIS | | | |

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| EXIT OVERHEAD DOOR | GOOD | DEFECT | NOTES |
|-------------------------------------|------|--------|-------|
| CHECK DOOR, ROLLERS, RAILS, SPRINGS | | | |
| CHECK DOOR OPERATE | | | |
| OPEN & CLOSE DOOR MANUALLY | | | |
| TEST DOOR P.E. OPERATION | | | |
| CLEAN AND FREE OF DEBRIS | | | |

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| TUNNEL WALK THROUGH | GOOD | DEFECT | NOTES |
|------------------------------------|------|--------|-------|
| INSPECT ALL UTILITY LINES FOR LEAK | | | |
| FLOOR CLEAN AND FREE OF DEBRIS | | | |
| CHECK PROPER OPERATION BAY LIGHTS | | | |
| WINDOWS CLEANED | | | |
| CONVEYOR TRENCH CLEANED | | | |

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| EQUIPMENT ROOM | GOOD | DEFECT | NOTES |
|-----------------------------------|------|--------|-------|
| CHECK FOR LEAKS | | | |
| FLOOR CLEAN AND FREE OF DEBRIS | | | |
| CHECK "MSD" SHEETS POSTED ON WALL | | | |

LIST CHEMICAL NAMES BELOW AND RECORD EACH PUMP ADJUSTMENT:

| NAME | ADJUSTMENT | NOTES |
|------|------------|-------|
| | ML/MIN | |
| | ML/MIN | |
| | ML/MIN | |
| | ML/MIN | |
| | ML/MIN | |
| | ML/MIN | |
| | ML/MIN | |
| | ML/MIN | |
| | ML/MIN | |
| | ML/MIN | |
| | ML/MIN | |
| | ML/MIN | |
| | ML/MIN | |
| | ML/MIN | |
| | ML/MIN | |
| | ML/MIN | |
| | ML/MIN | |

Service Provider representative

Customer Representative



MCWW Tunnel Preventive Maintenance Monthly Evaluation Form

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| HYDRAULIC POWER UNIT | GOOD | DEFECT | NOTES |
|---------------------------------|-----------|--------|-------|
| START UNIT AND... | | | |
| RECORD FILTER PRESSURE GAUGE | PRESSURE: | PSI | |
| CHANGE FILTER? | DATE: | | |
| RECORD HIGH PRESSURE GAUGE | PRESSURE: | PSI | |
| CHECK FOR HYDRAULIC FLUID LEAKS | | | |
| LISTEN FOR UNUSUAL NOISE | | | |
| CLEAN AND FREE OF DEBRIS | | | |

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| HYDRAULIC POWER UNIT | GOOD | DEFECT | NOTES |
|---------------------------------|-----------|--------|-------|
| START UNIT AND... | | | |
| RECORD FILTER PRESSURE GAUGE | PRESSURE: | PSI | |
| CHANGE FILTER? | DATE: | | |
| RECORD HIGH PRESSURE GAUGE | PRESSURE: | PSI | |
| CHECK FOR HYDRAULIC FLUID LEAKS | | | |
| LISTEN FOR UNUSUAL NOISE | | | |
| CLEAN AND FREE OF DEBRIS | | | |

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| HYDRAULIC POWER UNIT | GOOD | DEFECT | NOTES |
|---------------------------------|-----------|--------|-------|
| START UNIT AND... | | | |
| RECORD FILTER PRESSURE GAUGE | PRESSURE: | PSI | |
| CHANGE FILTER? | DATE: | | |
| RECORD HIGH PRESSURE GAUGE | PRESSURE: | PSI | |
| CHECK FOR HYDRAULIC FLUID LEAKS | | | |
| LISTEN FOR UNUSUAL NOISE | | | |
| CLEAN AND FREE OF DEBRIS | | | |

Service Provider representative

Customer Representative



MCWW Tunnel Preventive Maintenance Monthly Evaluation Form

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| SPOT FREE UNIT | GOOD | DEFECT | NOTES |
|---------------------------------------------------------------------------------------------------------------------|-----------|--------|-------|
| SHUT OFF POWER AND WATER SUPPLY TO UNIT AND... | | | |
| CHANGE 5 MICRON FILTER | DATE: | | |
| BACK FLUSH CHARCOAL FILTER | DATE: | | |
| CLEAN STABILISER? | DATE: | | |
| TURN ON POWER, REOPEN THE WATER AND TURN ON THE UNIT.... | | | |
| WHEN THE UNIT STOP THE BACK FLUSH, TURN ON THE RINSE ARCHE, WAIT FOR THE SPOT FREE UNIT TO START PRODUCING WATER... | | | |
| CHECK FOR WATER LEAKS | | | |
| RECORD INLET PRESSURE GAUGE | PRESSURE: | PSI | |
| RECORD PUMP PRESSURE GAUGE | PRESSURE: | PSI | |
| RECORD MEMBRANE PRESSURE GAUGE | PRESSURE: | PSI | |
| RECORD PRODUCT WATER FLOW | FLOW: | GPM | |
| RECORD REJECT WATER FLOW | FLOW: | GPM | |
| RECORD INCOMMING WATER TDS LEVEL | LEVEL: | TDS | |
| RECORD PRODUCT WATER TDS LEVEL | LEVEL: | TDS | |
| LISTEN FOR UNUSUAL NOISE | | | |
| CLEAN AND FREE OF DEBRIS | | | |

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| SPOT FREE STORAGE TANKS | GOOD | DEFECT | NOTES |
|--------------------------|------|--------|-------|
| CHECK FOR WATER LEAKS | | | |
| CLEAN AND FREE OF DEBRIS | | | |

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| SPOT FREE REPRESSURIZATION PUMP | GOOD | DEFECT | NOTES |
|-----------------------------------------|-----------|--------|-------|
| WITH THE FINAL RINSE ARCHES STILL ON... | | | |
| CHECK FOR WATER LEAKS | | | |
| RECORD PUMP PRESSURE GAUGE | PRESSURE: | PSI | |
| LISTEN FOR UNUSUAL NOISE | | | |
| CLEAN AND FREE OF DEBRIS | | | |

Service Provider representative

Customer Representative



MCWW Tunnel Preventive Maintenance Monthly Evaluation Form

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| H.P. PUMPING STATION | GOOD | ADJUST | REPAIRS | REMARKS |
|----------------------------------------|-----------|--------|---------|---------|
| START UNIT AND... | | | | |
| CHECK FOR WATER LEAKS | | | | |
| RECORD HIGH PRESSURE PUMP #1 GAUGE | PRESSURE: | | PSI | |
| RECORD HIGH PRESSURE PUMP #12GAUGE | PRESSURE: | | PSI | |
| RECORD HIGH PRESSURE PUMP #3 GAUGE | PRESSURE: | | PSI | |
| RECORD HIGH PRESSURE PUMP #4GAUGE | PRESSURE: | | PSI | |
| RECORD HIGH PRESSURE PUMP #1 GAUGE | PRESSURE: | | PSI | |
| MORE PUMPS? | PRESSURE: | | PSI | |
| CHECK BELTS PROPER TENSION AND WEAR | | | | |
| REPLACE OIL? (EVERY 3 MONTHS / 300HRS) | | | | |
| LISTEN FOR UNUSUAL NOISE | | | | |
| IF PREP STATION CHECK GUNS AND HOSES | | | | |
| CLEAN AND FREE OF DEBRIS | | | | |

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| H.P. PUMPING STATION | GOOD | ADJUST | REPAIRS | REMARKS |
|----------------------------------------|-----------|--------|---------|---------|
| START UNIT AND... | | | | |
| CHECK FOR WATER LEAKS | | | | |
| RECORD HIGH PRESSURE PUMP #1 GAUGE | PRESSURE: | | PSI | |
| RECORD HIGH PRESSURE PUMP #12GAUGE | PRESSURE: | | PSI | |
| RECORD HIGH PRESSURE PUMP #3 GAUGE | PRESSURE: | | PSI | |
| RECORD HIGH PRESSURE PUMP #4GAUGE | PRESSURE: | | PSI | |
| RECORD HIGH PRESSURE PUMP #1 GAUGE | PRESSURE: | | PSI | |
| MORE PUMPS? | PRESSURE: | | PSI | |
| CHECK BELTS PROPER TENSION AND WEAR | | | | |
| REPLACE OIL? (EVERY 3 MONTHS / 300HRS) | | | | |
| LISTEN FOR UNUSUAL NOISE | | | | |
| IF PREP STATION CHECK GUNS AND HOSES | | | | |
| CLEAN AND FREE OF DEBRIS | | | | |

Service Provider representative

Customer Representative



MCWW Tunnel Preventive Maintenance Monthly Evaluation Form

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| H.P. PUMPING STATION | GOOD | ADJUST | REPAIRS | REMARKS |
|----------------------------------------|-----------|--------|---------|---------|
| START UNIT AND... | | | | |
| CHECK FOR WATER LEAKS | | | | |
| RECORD HIGH PRESSURE PUMP #1 GAUGE | PRESSURE: | | PSI | |
| RECORD HIGH PRESSURE PUMP #12GAUGE | PRESSURE: | | PSI | |
| RECORD HIGH PRESSURE PUMP #3 GAUGE | PRESSURE: | | PSI | |
| RECORD HIGH PRESSURE PUMP #4GAUGE | PRESSURE: | | PSI | |
| RECORD HIGH PRESSURE PUMP #1 GAUGE | PRESSURE: | | PSI | |
| MORE PUMPS? | PRESSURE: | | PSI | |
| CHECK BELTS PROPER TENSION AND WEAR | | | | |
| REPLACE OIL? (EVERY 3 MONTHS / 300HRS) | | | | |
| LISTEN FOR UNUSUAL NOISE | | | | |
| IF PREP STATION CHECK GUNS AND HOSES | | | | |
| CLEAN AND FREE OF DEBRIS | | | | |

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| AIR COMPRESSOR / AIR DRYER | GOOD | DEFECT | NOTES |
|----------------------------------|------|--------|-------|
| CHECK FOR OIL IN COMPRESSOR PUMP | | | |
| CHECK AUTO DRAIN OPERATION | | | |
| CHECK PROPER AIR DRYER OPERATION | | | |
| LISTEN FOR UNUSUAL NOISE | | | |
| CLEAN AND FREE OF DEBRIS | | | |

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| CHEMICAL PUMPS AND HYDROMINDERS | GOOD | DEFECT | NOTES |
|----------------------------------|------|--------|--------------|
| CHECK FLOAT FOR PROPER OPERATION | | | |
| CHECK SUCTION LINE FOR CHEMICAL | | | |
| CHECK FOR ANY LEAKS | | | |
| RECORD AIR GAUGE PRESSURE | | | P.S.I. _____ |
| CLEAN AND FREE OF DEBRIS | | | |

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| CHEMICAL PUMPS AND HYDROMINDERS | GOOD | DEFECT | NOTES |
|----------------------------------|------|--------|--------------|
| CHECK FLOAT FOR PROPER OPERATION | | | |
| CHECK SUCTION LINE FOR CHEMICAL | | | |
| CHECK FOR ANY LEAKS | | | |
| RECORD AIR GAUGE PRESSURE | | | P.S.I. _____ |
| CLEAN AND FREE OF DEBRIS | | | |

Service Provider representative

Customer Representative



MCWW Tunnel Preventive Maintenance Monthly Evaluation Form

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| CHEMICAL PUMPS AND HYDROMINDERS | GOOD | DEFECT | NOTES |
|----------------------------------|------|--------|--------------|
| CHECK FLOAT FOR PROPER OPERATION | | | |
| CHECK SUCTION LINE FOR CHEMICAL | | | |
| CHECK FOR ANY LEAKS | | | |
| RECORD AIR GAUGE PRESSURE | | | P.S.I. _____ |
| CLEAN AND FREE OF DEBRIS | | | |

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| CHEMICAL PUMPS AND HYDROMINDERS | GOOD | DEFECT | NOTES |
|----------------------------------|------|--------|--------------|
| CHECK FLOAT FOR PROPER OPERATION | | | |
| CHECK SUCTION LINE FOR CHEMICAL | | | |
| CHECK FOR ANY LEAKS | | | |
| RECORD AIR GAUGE PRESSURE | | | P.S.I. _____ |
| CLEAN AND FREE OF DEBRIS | | | |

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| CHEMICAL PUMPS AND HYDROMINDERS | GOOD | DEFECT | NOTES |
|----------------------------------|------|--------|--------------|
| CHECK FLOAT FOR PROPER OPERATION | | | |
| CHECK SUCTION LINE FOR CHEMICAL | | | |
| CHECK FOR ANY LEAKS | | | |
| RECORD AIR GAUGE PRESSURE | | | P.S.I. _____ |
| CLEAN AND FREE OF DEBRIS | | | |

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| CHEMICAL PUMPS AND HYDROMINDERS | GOOD | DEFECT | NOTES |
|----------------------------------|------|--------|--------------|
| CHECK FLOAT FOR PROPER OPERATION | | | |
| CHECK SUCTION LINE FOR CHEMICAL | | | |
| CHECK FOR ANY LEAKS | | | |
| RECORD AIR GAUGE PRESSURE | | | P.S.I. _____ |
| CLEAN AND FREE OF DEBRIS | | | |

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT

| CHEMICAL PUMPS AND HYDROMINDERS | GOOD | DEFECT | NOTES |
|----------------------------------|------|--------|--------------|
| CHECK FLOAT FOR PROPER OPERATION | | | |
| CHECK SUCTION LINE FOR CHEMICAL | | | |
| CHECK FOR ANY LEAKS | | | |
| RECORD AIR GAUGE PRESSURE | | | P.S.I. _____ |
| CLEAN AND FREE OF DEBRIS | | | |

Service Provider representative

Customer Representative



MCWW Tunnel Preventive Maintenance Monthly Evaluation Form

CLEANING AND DRYING QUALITY REPORT *(Wash three vehicles)*

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT!

| | | | | |
|-------------------------------------|-------------|-------------|-------------|----------------|
| MAKE AND MODEL: | PACKAGE: | | | |
| CLEANING AND DRYING | POOR | FAIR | GOOD | REMARKS |
| CLEANING ON FRONT | | | | |
| CLEANING ON TOP | | | | |
| CLEANING ON SIDES | | | | |
| CLEANING ON BACK | | | | |
| TRIPPLE FOAM APPLICATION | | | | |
| CONFIRMATION SIGNS TURN ON PROPERLY | | | | |
| DRYING ON TOP | | | | |
| DRYING ON SIDES | | | | |
| DRYING ON BACK | | | | |

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT!

| | | | | |
|-------------------------------------|-------------|-------------|-------------|----------------|
| MAKE AND MODEL: | PACKAGE: | | | |
| CLEANING AND DRYING | POOR | FAIR | GOOD | REMARKS |
| CLEANING ON FRONT | | | | |
| CLEANING ON TOP | | | | |
| CLEANING ON SIDES | | | | |
| CLEANING ON BACK | | | | |
| TRIPPLE FOAM APPLICATION | | | | |
| CONFIRMATION SIGNS TURN ON PROPERLY | | | | |
| DRYING ON TOP | | | | |
| DRYING ON SIDES | | | | |
| DRYING ON BACK | | | | |

SAFETY FIRST! KEEP HANDS AND FEET AWAY FROM MOVING EQUIPMENT!

| | | | | |
|-------------------------------------|-------------|-------------|-------------|----------------|
| MAKE AND MODEL: | PACKAGE: | | | |
| CLEANING AND DRYING | POOR | FAIR | GOOD | REMARKS |
| CLEANING ON FRONT | | | | |
| CLEANING ON TOP | | | | |
| CLEANING ON SIDES | | | | |
| CLEANING ON BACK | | | | |
| TRIPPLE FOAM APPLICATION | | | | |
| CONFIRMATION SIGNS TURN ON PROPERLY | | | | |
| DRYING ON TOP | | | | |
| DRYING ON SIDES | | | | |
| DRYING ON BACK | | | | |

Service Provider representative

Customer Representative

